

ISSN 2518-1726 (Online),
ISSN 1991-346X (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ
әл-Фараби атындағы Қазақ ұлттық университетінің

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН
Қазақстан Ұлттық академиясының
им. әл-Фараби

N E W S

OF THE NATIONAL ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN
Al-Farabi
Kazakh National University

SERIES PHYSICO-MATHEMATICAL

2 (336)

MARCH – APRIL 2021

PUBLISHED SINCE JANUARY 1963

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

NAS RK is pleased to announce that News of NAS RK. Series physico-mathematical journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of chemistry and technologies in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of chemical sciences to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы "ҚР ҰҒА Хабарлары. Физикалық-математикалық сериясы" ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруда. Web of Science зерттеушілер, авторлар, баспашылар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Химия және технология сериясы Emerging Sources Citation Index-ке енуі біздің қоғамдастық үшін ең өзекті және беделді химиялық ғылымдар бойынша контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Известия НАН РК. Серия физико-математическая» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАН РК в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по химическим наукам для нашего сообщества.

Б а с р е д а к т о р
ф.-м.ғ.д., проф., ҚР ҰҒА академигі
Ғ.М. Мұтанов

Р е д а к ц и я а л қ а с ы:

Асанова А.Т. проф. (Қазақстан)
Бошкаев К.А. PhD докторы (Қазақстан)
Байгунчечков Ж.Ж. проф., академик (Қазақстан)
Quevedo Hernando проф. (Мексика)
Жүсіпов М.А. проф. (Қазақстан)
Ковалев А.М. проф., академик (Украина)
Калимолдаев М.Н. проф., академик (Қазақстан)
Михалевич А.А. проф., академик (Белорусь)
Мырзакулов Р. проф., академик (Қазақстан)
Рамазанов Т.С. проф., академик (Қазақстан)
Такибаев Н.Ж. проф., академик (Қазақстан), бас ред. орынбасары
Тигиняну И. проф., академик (Молдова)
Уалиев З.Г. проф., чл.-корр. (Қазақстан)
Харин С.Н. проф., академик (Қазақстан)

«ҚР ҰҒА Хабарлары. Физика-математикалық сериясы».

ISSN 2518-1726 (Online), ISSN 1991-346X (Print)

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ (Алматы қ.).
Қазақстан Республикасының Ақпарат және коммуникациялар министрлігінің Ақпарат комитетінде
14.02.2018 ж. берілген № **16906-Ж** мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Тақырыптық бағыты: *физика-математика ғылымдары және ақпараттық
технологиялар саласындағы басым ғылыми зерттеулерді
жариялау.*

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекен-жайы: 050010, Алматы қ., Шевченко көш., 28; 219 бөл.;
тел.: 272-13-19; 272-13-18

<http://physics-mathematics.kz/index.php/en/archive>

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2021

Типографияның мекен-жайы: «Аруна» ЖК, Алматы қ., Мұратбаева көш., 75.

Главный редактор
д.ф.-м.н., проф. академик НАН РК
Г.М. Мутанов

Редакционная коллегия:

Асанова А.Т. проф. (Казахстан)
Бошкаев К.А. доктор PhD (Казахстан)
Байгунчеков Ж.Ж. проф., академик (Казахстан)
Quevedo Hernando проф. (Мексика)
Жусупов М.А. проф. (Казахстан)
Ковалев А.М. проф., академик (Украина)
Калимолдаев М.Н. проф., академик (Казахстан)
Михалевич А.А. проф., академик (Беларусь)
Мырзакулов Р. проф., академик (Казахстан)
Рамазанов Т.С. проф., академик (Казахстан)
Такибаев Н.Ж. проф., академик (Казахстан), зам. гл. ред.
Тигиняну И. проф., академик (Молдова)
Уалиев З.Г. проф., чл.-корр. (Казахстан)
Харин С.Н. проф., академик (Казахстан)

«Известия НАН РК. Серия физика-математическая».

ISSN 2518-1726 (Online), ISSN 1991-346X (Print)

Собственник: РОО «Национальная академия наук Республики Казахстан» (г. Алматы).

Свидетельство о постановке на учет периодического печатного издания в Комитете информации Министерства информации и коммуникаций Республики Казахстан № 16906-Ж, выданное 14.02.2018 г.

Тематическая направленность: *публикация приоритетных научных исследований в области физико-математических наук и информационных технологий.*

Периодичность: 6 раз в год.

Тираж: 300 экземпляров.

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28; ком. 219; тел.: 272-13-19; 272-13-18

<http://physics-mathematics.kz/index.php/en/archive>

© Национальная академия наук Республики Казахстан, 2021

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75.

Editor in chief
doctor of physics and mathematics, professor, academician of NAS RK
G.M. Mutanov

Editorial board:

Asanova A.T. prof. (Kazakhstan)
Boshkayev K.A. PhD (Kazakhstan)
Baigunchekov Zh.Zh. prof., akademik (Kazakhstan)
Quevedo Hemando prof. (Mexico)
Zhusupov M.A. prof. (Kazakhstan)
Kovalev A.M. prof., academician (Ukraine)
Kalimoldaev M.N. prof., akademik (Kazakhstan)
Mikhalevich A.A. prof., academician (Belarus)
Myrzakulov R. prof., akademik (Kazakhstan)
Ramazanov T.S. prof., akademik (Kazakhstan)
Takibayev N.Zh. prof., academician (Kazakhstan), deputy editor in chief.
Tiginyanu I. prof., academician (Moldova)
Ualiev Z.G. prof., chl.-korr. (Kazakhstan)
Kharin S.N. prof., academician (Kazakhstan)

News of the National Academy of Sciences of the Republic of Kazakhstan. Physical-mathematical series.

ISSN 2518-1726 (Online), ISSN 1991-346X (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty).

The certificate of registration of a periodical printed publication in the Committee of information of the Ministry of Information and Communications of the Republic of Kazakhstan **No. 16906-Ж**, issued on 14.02.2018.

Thematic scope: *publication of priority research in the field of physical and mathematical sciences and information technology.*

Periodicity: 6 times a year.

Circulation: 300 copies.

Editorial address: 28, Shevchenko str., of. 219, Almaty, 050010, tel. 272-13-19; 272-13-18

<http://physics-mathematics.kz/index.php/en/archive>

© National Academy of Sciences of the Republic of Kazakhstan, 2021

Address of printing house: ST "Aruna", 75, Muratbayev str., Almaty.

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN
PHYSICO-MATHEMATICAL SERIES

ISSN 1991-346X

Volume 2, Number 336 (2021), 131 – 137

<https://doi.org/10.32014/2021.2518-1726.32>

UDK 521.1

MRNTI 41.03.02

M. Zh. Minglibayev^{1,2}, S. B. Bizhanova¹¹Al-Farabi Kazakh National University, Almaty, Kazakhstan;²Fesenkov Astrophysical Institute, Almaty, Kazakhstan.

E-mail: minglibayev@gmail.com, bizhanova.saltanat92@gmail.com

TRANSLATIONAL-ROTATIONAL MOTION OF A NONSTATIONARY AXISYMMETRIC BODY

Abstract. A nonstationary two-body problem is considered such that one of the bodies has a spherically symmetric density distribution and is central, while the other one is a satellite with axisymmetric dynamical structure, shape, and variable oblateness. Newton's interaction force is characterized by an approximate expression of the force function up to the second harmonic. The masses of the central body and the satellite vary isotropically at different rates and do not occur reactive forces and additional rotational moments. The nonstationary axisymmetric body have an equatorial plane of symmetry. Thus, it has three mutually perpendicular planes of symmetry. The axes of its intrinsic coordinate system coincide with the principal axes of inertia and they are directed along the intersection lines of these three mutually perpendicular planes. This position remains unchangeable during the evolution. Equations of motion of the satellite in a relative system of coordinates are considered. The translational-rotational motion of the nonstationary axisymmetric body in the gravitational field of the nonstationary ball is studied by perturbation theory methods. The equations of secular perturbations reduces to the fourth order system with one first integral. This first integral is considered and three-dimensional graphs of this first integral are plotted using the Wolfram Mathematica system.

Key words: variable mass, translational-rotational motion, axisymmetric body, secular perturbations.

1. Introduction.

At present the observational data of astronomy show to the nonstationarity of real cosmic systems associated with the effects of varying the masses of gravitating bodies with time, with variations in sizes and shapes of bodies themselves and some other physical characteristics in the process of evolution [1]-[3]. In this regard, creating mathematical models of motion of nonstationary celestial bodies becomes relevant.

The purpose of this paper is to consider the first integral and to plot three-dimensional graphs of this integral. Solving this problem involves rather cumbersome symbolic computations, which are best to perform using computer algebra systems. In this work, all necessary symbolic computations are carried out using the Wolfram Mathematica system [4].

2. The physical statement of the problem.

Let us consider the following conditions:

1. The first body is «central», it is a ball with variable mass $m_1 = m_1(t)$, with variable density, spherical distribution and variable radius $l_1 = l_1(t)$;

2. The second body is a «satellite» with a mass $m_2 = m_2(t)$ has an axisymmetric dynamical structure and a shape with a characteristic linear size $l_2 = l_2(t)$ and its second-order moments of inertia are variable and given functions of time. Such a satellite is characterized by variable oblateness, and its principal central moments of inertia A, B, C satisfy the relations

$$A(t) = B(t) \neq C(t), \quad \frac{C(t) - A(t)}{C(t)} \neq \text{const}; \quad (1)$$

3. The nonstationary axisymmetric body have an equatorial plane of symmetry. Thus, it has three mutually perpendicular planes of symmetry [1-4];

4. The masses of the central body and the satellite vary isotropically at different rates $\dot{m}_1/m_1 \neq \dot{m}_2/m_2$ and do not occur reactive forces and additional rotational moments;

5. The axes of its intrinsic coordinate system coincide with the principal axes of inertia and they are directed along the intersection lines of these three mutually perpendicular planes. This position remains unchangeable during the evolution;

6. We restrict ourselves to an approximation of the force function up to the second harmonic inclusive.

3. Equations of motion in the relative coordinate system.

The relative translational motion of the center of mass of the satellite around the central body is described by the equations

$$\tilde{m}\ddot{x} = \frac{\partial U}{\partial x}, \quad \tilde{m}\ddot{y} = \frac{\partial U}{\partial y}, \quad \tilde{m}\ddot{z} = \frac{\partial U}{\partial z}, \quad (2)$$

where x, y, z are the coordinates of the center of mass of T_2 in the relative coordinate system O_1xyz with the origin at the center of T_1 , $\tilde{m} = m_1 m_2 / (m_1 + m_2)$ is the reduced mass, the force function of Newton's interaction of the two bodies has the form

$$U = f \frac{m_1 m_2}{R} + \tilde{U}, \quad R = x^2 + y^2 + z^2, \quad (3)$$

$$\tilde{U} = f m_1 \frac{2A(t) + C(t) - 3J}{2R^3}, \quad (4)$$

and the moment of inertia J of the axisymmetric body with respect to the vector $\overrightarrow{O_1 O_2}$ connecting the centers of mass of the two bodies is determined by the expression

$$J = A(\alpha^2 + \beta^2) + C\gamma^2 \quad (5)$$

where α, β, γ are the direction cosines of $\overrightarrow{O_1 O_2}$ with the axes of the intrinsic coordinate system of the satellite coinciding with its principal central axes of inertia.

The equation of perturbed translational motion has the form [3]

$$\ddot{\vec{R}} + f \frac{m_1 + m_2}{R^3} \vec{R} - b\vec{R} = \text{grad}_{\vec{R}} W, \quad (6)$$

where

$$W = -\frac{1}{2} b R^2 + \frac{m_1 + m_2}{m_1 m_2} \tilde{U}, \quad b = b(t_0) = \frac{\ddot{\sigma}}{\sigma}, \quad \sigma = \sigma(t) = \frac{m_1(t_0) + m_2(t_0)}{m_1(t) + m_2(t)}, \quad (7)$$

The rotational motion of the satellite around its own center of mass in the Euler variables is governed by the equations [3,5]

$$\begin{aligned} \frac{d}{dt}(Ap) - (A - C)qr &= \frac{\sin \varphi}{\sin \theta} \left[\frac{\partial U}{\partial \psi} - \cos \theta \frac{\partial U}{\partial \varphi} \right] + \cos \varphi \frac{\partial U}{\partial \theta}, \\ \frac{d}{dt}(Aq) - (C - A)rp &= \frac{\cos \varphi}{\sin \theta} \left[\frac{\partial U}{\partial \psi} - \cos \theta \frac{\partial U}{\partial \varphi} \right] - \sin \varphi \frac{\partial U}{\partial \theta}, \\ \frac{d}{dt}(Cr) &= 0, \end{aligned} \quad (8)$$

$$p = \dot{\psi} \sin \varphi \sin \theta + \dot{\theta} \cos \varphi, \quad q = \dot{\psi} \cos \varphi \sin \theta - \dot{\theta} \sin \varphi, \quad r = \dot{\psi} \cos \theta + \dot{\varphi}. \quad (9)$$

where p, q, r are the projections of the angular velocity of the satellite onto the axes of its intrinsic coordinate system and φ, ψ, θ are the Euler angles [6–8]. The problem in this statement is very complicated; therefore, we will use the methods of perturbation theory to study it [3].

4. Differential equations of secular perturbations.

The equations of translational-rotational motion are described in the analogue of the Delaunay-Andoyer variables. In this case, the unperturbed motion is analogous of Euler-Poinsot motion – the rotational motion of the free non-stationary axisymmetric body around its own center of inertia [1–3].

Calculation of secular perturbations reduces to the fourth-order system with one first integral [9]

$$\dot{H} = \left(\frac{E(t)}{\tilde{m}(t)} \right) \left[\frac{\partial I}{\partial h} \right], \quad \dot{h} = - \left(\frac{E(t)}{\tilde{m}(t)} \right) \left[\frac{\partial I}{\partial H} \right], \quad \dot{H}' = E(t) \left[\frac{\partial I}{\partial h'} \right], \quad \dot{h}' = -E(t) \left[\frac{\partial I}{\partial H'} \right], \quad (10)$$

$$E(t) = - \frac{3 f m_1 (C - A)}{8 \sigma^3 a^3 (1 - e)^{3/2}}, \quad \tilde{m}(t) = \frac{m_1 m_2}{m_1 + m_2}. \quad (11)$$

$$I = I(H, h, H', h') = I_0 = \text{const}. \quad (12)$$

$$\begin{aligned} I = & \frac{1}{2 G G'^3} \left(G G'^3 (3 + \cos(2(h' - \Omega))) + \cos^2 I' \cos^2(h' + \Omega) + 3 \cos^2 I' \cos(2J') \cos^2(h' + \Omega) - \right. \\ & \left. - \cos^2 J' (1 + \cos(2(h' - \Omega)) + 2 \cos(2(h' + \Omega))) \right) - \frac{1}{2} G G'^3 \cos^2 i (4 \cos^2(h' - \Omega) + \\ & + \cos^2 I' (1 + 3 \cos 2J') (3 + \cos(2(h' + \Omega))) - 2 \cos^2 J' (3 + \cos(2(h' - \Omega)) + 2 \cos(2(h' + \Omega))) - \\ & - 4 \cos i \cos I' \cos(h' + \Omega) \sqrt{G^2 \sin^2 i} (-2 G'^2 \cos^2 J' \sqrt{G'^2 \sin^2 I'} + \sqrt{G'^2 \sin^2 J'} \sqrt{G'^4 \sin^2 I' \sin^2 J'})) \end{aligned} \quad (13)$$

Upon solving system (10), we integrate the remaining equations [9]

$$\dot{L}_{sec} = 0, \quad \dot{G}_{sec} = 0, \quad \dot{L}'_{sec} = 0, \quad \dot{G}'_{sec} = 0, \quad (14)$$

$$\dot{i}_{sec} = - \frac{\partial W_{sec}}{\partial L'_{sec}}, \quad \dot{g}_{sec} = - \frac{\partial W_{sec}}{\partial G_{sec}}, \quad \dot{i}'_{sec} = \frac{\partial F_{sec}}{\partial L'_{sec}}, \quad \dot{g}'_{sec} = \frac{\partial F_{sec}}{\partial G'_{sec}}. \quad (15)$$

$$\begin{aligned} W_{sec} = & \frac{\mu_0^2}{2 \sigma^2(t)} \left(\frac{1}{L^2} \right) + \frac{m_1 + m_2}{m_1 m_2} \left(\frac{f m_1 (C - A)}{2 \sigma^3} \left[\frac{1}{a^3 (1 - e^2)} \right] \right) - \\ & - \frac{m_1 + m_2}{m_1 m_2} \left(\frac{3 f m_1 (C - A)}{2 \sigma^3} \left[\frac{I}{4 a^3 (1 - e^2)^{3/2}} \right] \right) - \frac{1}{2} b \sigma^2 \left[a^2 \left(1 + \frac{3}{2} e^2 \right) \right] \end{aligned} \quad (16)$$

$$\begin{aligned} F_{sec} = & \frac{1}{2 A} (G'^2) + \frac{1}{2} \left(\frac{1}{C} - \frac{1}{A} \right) (L^2) + \frac{f m_1 (C - A)}{2 \sigma^3} \left[\frac{1}{a^3 (1 - e^2)} \right] - \\ & - \frac{3 f m_1 (C - A)}{2 \sigma^3} \left[\frac{I}{4 a^3 (1 - e^2)^{3/2}} \right] - \frac{1}{2} b \sigma^2 \left[a^2 \left(1 + \frac{3}{2} e^2 \right) \right] \end{aligned} \quad (17)$$

5. Graphs of the first integral

The resulting first integral (13) depends on the variables Ω, i, I', h' . We set a constant value for one variable and use the other three variables to plot the three-dimensional graph. To simplify the calculations we use the dimensionless variables in the integral (13).

Introduce the following dimensionless variables [10]. Dimensionless time t is defined by $\tilde{t} = \omega_0 t$, where $\omega_0 = \sqrt{\mu_0}/a^{3/2}$, $\mu_0 = f(m_{10} + m_{20})$.

Dimensionless masses and moments of inertia are given by $\tilde{m}_1(\tilde{t}) = m_1(t)/m_{10}$, $\tilde{m}_2(\tilde{t}) = m_2(t)/m_{10}$, $\tilde{A}(\tilde{t}) = A(t)/A(t_0)$, $\tilde{C}(\tilde{t}) = C(t)/C(t_0)$.

$m_{10} = m_1(t_0)$, $m_{20} = m_2(t_0)$, t_0 – an initial time. In equations (14), the Delaunay-Andoyer elements are replaced by the corresponding dimensionless values $\tilde{G} = G/\sqrt{\mu_0 a}$, $\tilde{G}' = G'/m_{10} a^2 \omega_0$.

These data are sufficient to consider and obtain the graphs. The integral (13) in dimensionless values has the form

$$I = \frac{1}{2\tilde{G}\tilde{G}'^3} \left(\tilde{G}\tilde{G}'^3 (3 + \cos(2(h' - \Omega))) + \cos^2 I' \cos^2(h' + \Omega) + 3 \cos^2 I' \cos(2J') \cos^2(h' + \Omega) - \right. \\ \left. - \cos^2 J' (1 + \cos(2(h' - \Omega)) + 2 \cos(2(h' + \Omega))) - \frac{1}{2} \tilde{G}\tilde{G}'^3 \cos^2 i (4 \cos^2(h' - \Omega) + \right. \\ \left. + \cos^2 I' (1 + 3 \cos 2J') (3 + \cos(2(h' + \Omega))) - 2 \cos^2 J' (3 + \cos(2(h' - \Omega)) + 2 \cos(2(h' + \Omega))) - \right. \\ \left. - 4 \cos i \cos I' \cos(h' + \Omega) \sqrt{\tilde{G}^2 \sin^2 i} (-2\tilde{G}'^2 \cos^2 J' \sqrt{\tilde{G}^2 \sin^2 I'} + \sqrt{\tilde{G}'^2 \sin^2 J'} \sqrt{\tilde{G}'^4 \sin^2 I' \sin^2 J'}) \right) \quad (18)$$

We use here the following values of the physical parameters of Sun (central body) and Earth (satellite). $M_\odot$ is the mass of the Sun, $M_\oplus$ is the mass of the Earth, A_0, C_0 is Earth's principal moments of inertia for initial conditions [11]

$$m_{10} = m_1(t_0) = 1M_\odot, \quad m_{20} = m_2(t_0) = 3 \cdot 10^{-6} M_\odot, \quad e = 0.017, \\ A_0 = A(t_0) = 0.3295 M_\oplus a^2, \quad C_0 = C(t_0) = 0.3306 M_\oplus a^2, \\ \tilde{G} = 0.999, \quad \tilde{G}' = 4.372, \quad \tilde{h}' = \pi/18, \quad \Omega = \pi/9, \quad i = \pi/3, \quad I' = \pi/9, \quad J = \pi/6. \quad (19)$$

Using the Mathematica system, three-dimensional graphs of the integral (18) are obtained, which are shown in figures 1-4.




Figure 1 - Graph of the integral, when $i = \pi/3 = \text{const}$, the others according to (19)




Figure 2 - Graph of the integral, when $\Omega = \pi/9 = \text{const}$, the others according to (19)




Figure 3 - Graph of the integral, when $I' = \pi/9 = \text{const}$, the others according to (19)




Figure 4 - Graph of the integral, when $h' = \pi/18 = \text{const}$, the others according to (19)

These figures are more informative and illustrative, a detailed analysis of which will be dealt with in other papers.

6. Conclusion.

The translational-rotational motion of the nonstationary axisymmetric body in the gravitational field of a nonstationary ball is studied by perturbation theory methods. The equations of secular perturbations reduce to the fourth order system with one first integral. The first integral is considered in dimensionless variables and three-dimensional graphs of this integral plotted using Wolfram Mathematica.

М. Дж. Минглибаев^{1,2}, С.Б. Бижанова¹

¹Әл-Фараби атындағы ҚазҰУ, Алматы, Қазақстан;

²В.Г.Фесенков атындағы астрофизика институты, Алматы, Қазақстан

БЕЙСТАЦИОНАР ӨСТІК СИММЕТРИЯЛЫ ДЕНЕНІҢ ІЛГЕРІЛЕМЕЛІ-АЙНАЛМАЛЫ ҚОЗҒАЛЫСЫ

Аннотация. Мақалада өзара гравитацияланушы бейстационар екі дене қарастырылады: бірінші дене – «центрлік», яғни тығыздығы сфера бойынша үлестірілген шар, ал екінші дене – «серік», яғни динамикалық құрылымы және пішіні өстік симметриялы. Ньютонның өзара әсерлесу күші екінші гармониканы ескергендегі күштік функцияның жуық өрнегімен сипатталған. Денелердің массасы мен өлшемі әртүрлі қарқында изотропты түрде өзгереді, сондықтанда қосымша реактивті күш және қосымша айналдырушы моменттер туындамайды. Бейстационар өстік симметриялы дене экваторлық симметрия жазықтығына ие. Сондықтан, оның үш өзара перпендикуляр симметрия жазықтығы бар. Дененің бас инерция өстерімен сәйкес келетін өзіндік координаталар жүйесінің өстерін осы үш өзара перпендикуляр жазықтықтардың қиылысу сызығы бойымен бағыттаймыз. Денеге қатысты осы өстердің бағыты эволюция барысында өзгеріссіз қалады. Серіктің қозғалыс теңдеуі салыстырмалы координаталар жүйесінде алынған. Бейстационар шардың гравитациялық өрісіндегі өстік симметриялы бейстационар дененің ілгерілемелі-айналмалы қозғалысы ұйытқу теориясының тәсілдерімен алынған. Ғасырлық ұйытқулардың теңдеулері бір интегралды төртінші ретті жүйеге келтірілген. Осы бірінші интеграл қарастырылған және осы бірінші интегралдың үш өлшемді графиктері Wolfram Mathematica пакетінің көмегімен тұрғызылған.

Түйін сөздер: айнымалы масса, ілгерілемелі-айналмалы қозғалыс, өстік симметриялы дене, ғасырлық ұйытқу.

М. Дж. Минглибаев^{1,2}, С. Б. Бижанова¹

¹ҚазНУ им. аль-Фараби, Алматы, Қазақстан;

²Астрофизический институт им. В. Г.Фесенкова, Алматы, Қазақстан

ПОСТУПАТЕЛЬНО-ВРАЩАТЕЛЬНОЕ ДВИЖЕНИЕ НЕСТАЦИОНАРНОГО ОСЕСИММЕТРИЧНОГО ТЕЛА

Аннотация. Рассматривается нестационарная задача двух тел, одно из которых имеет сферически симметричное распределение плотности и является «центральной», а второе – «спутник», обладающий осесимметричным динамическим строением, формой и переменным сжатием. Ньютоновская сила взаимодействия характеризуется приближенным выражением силовой функции с точностью до второй гармоники. Массы центрального тела и спутника изменяются изотропно в различных темпах, при этом не появляются реактивные силы и дополнительные вращательные моменты. Нестационарное осесимметричное тело обладает экваториальной плоскостью симметрии. Следовательно, оно обладает тремя взаимно перпендикулярными плоскостями симметрии. Оси собственной системы координат совпадают главными осями инерции и их направим вдоль линий пересечения трех взаимно перпендикулярных плоскостей. Это положение в ходе эволюции остается неизменными. Получены уравнения движения спутника в относительной системе координат. Поступательно-вращательное движение нестационарного осесимметричного тела в гравитационном поле нестационарного шара изучено методами теории возмущений. Уравнения вековых возмущений сводится к системе четвертого порядка с одним первым интегралом. Рассмотрены этот первый интеграл и построены трехмерные графики этого первого интеграла с помощью пакета Wolfram Mathematica.

Ключевые слова: переменная масса, поступательно-вращательное движение, осесимметричное тело, вековые возмущения.

Information about authors

Minglibayev Mukhtar Zhumabekovich, Doctor of Physical and Mathematical Sciences, Professor of al-Farabi Kazakh National University, Chief Researcher of Fesenkov Astrophysical Institute. e-mail: minglibayev@gmail.com, <https://orcid.org/0000-0002-8724-2648>;

Bizhanova Saltanat Bagdatqyzy, PhD student of al-Farabi Kazakh National University. e-mail: bizhanova.saltanat92@gmail.com, <https://orcid.org/0000-0001-9957-1599>

REFERENCES

- [1] Omarov T.B. (2002) (Editor) Non-Stationary Dynamical Problems in Astronomy. New-York: Nova Science Publ. Inc. 260 p.
- [2] Bekov A.A., Omarov T.B. (2003) The theory of Orbits in Non-Stationary Stellar Systems // Astron. and Astrophys. Transactions, Vol. 22(2). pp.145-153.
- [3] Minglibayev M.Zh. Dinamika gravitiruyushchikh tel s peremennymi massami i razmerami. LAP LAMBERT Academic Publishing, Germany. P.229. (in Russ.).
- [4] Prokopenya A.N. (2005) Resheniye fizicheskikh zadach s ispol'zovaniyem sistemy Mathematica. BGTU, Brest. P.260. (in Russ.).
- [5] Minglibayev M.Zh., Ahmetrasulova A.A. (2012) Secular perturbations in the problem of translational-rotational motion two axisymmetric non-stationary gravitating bodies with variable oblate // CCMECH7. 7th International Symposium on Classical and Celestial Mechanics. Selected Papers. Siedlce, Poland: Wydawnictwo Collegium Mazovia. pp.116-127.
- [6] Duboshin G.N. (1975) Nebesnaya mekhanika. Osnovnyye zadachi i metody. Nauka, Moscow. P.799. (in Russ.).
- [7] Beletskii V.V. (1975) Dvizheniye sputnika otnositel'no tsentra mass v gravitatsionnom pole. MGU, Moscow. P.308. (in Russ.).
- [8] Vidyakin V.V. (1996) Postupatel'no-vrashchatel'noye dvizheniye dvukh tverdykh tel. Nord, Arkhangelsk. (in Russ.).
- [9] Bizhanova S.B., Minglibayev M.Zh., Prokopenya A.N. (2020) A Study of Secular Perturbations of Translational-Rotational Motion in a Nonstationary Two-Body Problem Using Computer Algebra. // Computational Mathematics and Mathematical Physics. Vol. 60(1). pp. 29-38. DOI:10.1134/S0965542520010054
- [10] Prokopenya A.N., Minglibayev M.Zh., Bizhanova S.B. Investigation of the Secular Perturbations in the Two-Body Problem with Variable Masses // Computer Algebra Systems in Teaching and Research, Vol. IX. 2020. pp. 204-219.
- [11] Allen K.U. (1977) Astrofizicheskie velichiny. Mir, Moscow. P.279.

Publication Ethics and Publication Malpractice
in the journals of the National Academy of Sciences of the Republic of Kazakhstan

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

(Правила оформления статьи для публикации в журнале смотреть на сайтах:

www.nauka-nanrk.kz

<http://physics-mathematics.kz/index.php/en/archive>

ISSN 2518-1726 (Online), ISSN 1991-346X (Print)

Редакторы: *М. С. Ахметова, Д. С. Аленов, Р.Ж. Мрзабаева*
Верстка на компьютере *А.М. Кульгинбаевой*

Подписано в печать 15.04.2021.
Формат 60x881/8. Бумага офсетная. Печать – ризограф.
11,6 п.л. Тираж 300. Заказ 2.